

GstarCAD 2024 vs ARES Commander 2024

GstarCAD 2024



Table of Content

Gstar	arCAD 2024 VS ARES Commander 2024			
1.	Comprehensive Evaluation			
2.	Compat	tibility Comparison	5	
3.	Perform	ance Comparison	7	
4.	Functio	n Comparison	8	
	4.1.	Comparison Table	8	
	4.2.	GstarCAD Innovative Features	.12	
	4.3.	Function Detail Comparison	.16	
5.	User Experience			
	5.1.	Interface	. 35	
	5.2.	Operation Habit	. 36	
	5.3.	Panel Arrangement	. 37	
6.	Conclusion			

GstarCAD 2024 VS ARES Commander 2024

With accelerated performance, enhanced compatibility and elevated user experience, GstarCAD 2024 takes design productivity to new heights. Experience our optimized operation speed and quality, enjoy the expanded compatibility for more file formats and APIs, and discover a new level of design satisfaction with upgraded Dynamic Input tool and adjustable viewports, etc.

1. Comprehensive Evaluation

Compatibility

GstarCAD offers robust APIs for developers to migrate or build applications on GstarCAD, including GRX, .NET, VBA, LISP, and COM. Built on advanced C + +/CLI technology,

.NET secondary development interface offers a reliable platform for developers. With 100% integrity in core module interfaces that are most commonly used, GstarCAD 2024 ensures efficient development and seamless cross-platform compatibility.

The encoding format of the LISP module has been optimized and adjusted to ensure complete compatibility with ANSI, UTF-8, UTF-16, UTF-8 BOM, and other encoding formats used in LISP, FAS, VLX, and DCL files, enabling efficient and seamless secondary development in GstarCAD 2024.

ARES Commander 2024 doesn't support load the FAS and VLX Programs.

Performance

Higher performance plays an important role in GstarCAD. GstarCAD not only constantly provides users with more useful functions, but also delivers great performance in both 2D and 3D operations. GstarCAD is especially outstanding in dealing with the big size drawings that contain a large number of entities. The basic operations, such as move, copy, rotate, scale and so on are significantly enhanced to boost the working efficiency of designers. ARES Commander 2024 has obvious disadvantage of the performance, it stacks when booting the software, workspace and layout space switching. Though some operation speed enhances in this version, such as select, copy, paste and undo, it still has a big gap with GstarCAD.

• Functionalities

ARES Commander 2024 releases new features of Flatten and Lisp Editor which have been already supported by GstarCAD. GstarCAD not only continuously improves and develops new features to increase productivity, but also develops many innovative functions in order to improve work efficiency. Comparing the total commands, GstarCAD 2024(more than 900 commands) provides two hundreds more commands than ARES Commander 2024 (more than 700 commands). In addition, the function detail is more attractive and useful.

User Experience

GstarCAD brings you the familiar interface, commands and user operating habit. While ARES Commander has been retaining the traditional interface, operating habit, and provides the incompatible commands and offers the complex tree structure which brings bad user experience. Users will feel unfamiliar with ARES commander when getting started with it.

2. Compatibility Comparison

Item	GstarCAD 2024	ARES Commander 2024
2018 DWG/DXF		
2.5-2018 DWG/DXF	\checkmark	
Template file DWT		
Standard file DWS		
Interface file CUI/CUIX		
Old menu file MNU		
Sheet set file DST		
Hatch file PAT		
Font file SHX		
Linetype file LIN		
Print style file CTB	\checkmark	
Import WMF	\checkmark	×
Export WMF	\checkmark	
Import/export SAT	\checkmark	
Import 3DS	\checkmark	×
Import and Export PDF	\checkmark	
Import DGN	\checkmark	
Import IFC	\checkmark	
Import SVG	\checkmark	×
STEP/IGES Files	\checkmark	×
Import DWF/DWFX	\checkmark	
Export DWF/DWFX	\checkmark	
Export STL	\checkmark	
Export EMF	\checkmark	
DWF underlay	\checkmark	
DGN underlay	\checkmark	
PDF underlay	\checkmark	
Load LISP program	\checkmark	
Load FAS program	\checkmark	×
Load DBX program	\checkmark	×
Load VLX program	\checkmark	×

The main compatible file formats and application development interfaces comparison:

VBA develop interface	 ×
Class ARX develop interface	
.net develop interface	

3. Performance Comparison

The performance of common-use operations like "OPEN", "SAVE", "MOVE", "COPY", "CTRL+C", "CTRL+V" are significantly faster than ARES Commander 2024.

The chart below provides an overview of the performance. We build an operation speed comparison of the basic features between GstarCAD and ARES Commander. To make sure the data validation, same operations will be tested three times and get the average value.


Operation Time Comparison between GstarCAD 2024 and ARES Commander 2024 (Unit: Second)

Testing environment:

WIN10 Education 22H2 64bit; 16G storage; CPU: 11th Gen Intel(R)Core(TM) i7-1165G7@ 2.80GHz; Graphic Card: Intel(R) Iris(R) Xe Graphics NVIDIA GeForce MX450

Drawing Size: 48 MB and 114 MB

We tested the operations with two 48MB and 114MB drawings, and got the average time.



When executing Mirror, Ctrl + C and paste to original in ARES Commander, the operation time is much slower than GstarCAD.

It's obvious that GstarCAD 2024 is faster than ARES Commander for the frequently used commands. From the comparison data above, we get the conclusion that GstarCAD provides a better performance to enhance your working speed.

4. Function Comparison

4.1. Comparison Table

Comparing with GstarCAD 2024, ARES Commander lacks of many important functions such as free scale, shortcut customization, match properties across drawings and so on.

Features	GstarCAD	ARES Commander	Description
3DFORBIT		×	Rotates the view in 3D space with constraining roll.
AutoCAD Tool Palettes Import Tool		×	Import AutoCAD® customized Tool palettes in the WINDOWS Start menu easily.
ADDSELECTED Command		×	Creates a new object of the same type and general properties as a selected object with different geometric values.
ATTIPEDIT		\checkmark	Edits the attribute text in the block attribute in-place.
Break Point Check (CLOSELINE)		×	Marks unclosed endpoints among selected lines, polylines or arcs, and close them immediately.
CLIPIT		×	Clips images, xrefs, wipeout, or specified parts of block objects using circles, arcs, ellipses, or text as boundaries.
Constraints	×		Supports geometric and dimensional constraint.
CONVTOMESH Command		×	Optimizes 2D polyline and associated hatches in early versions.
CONVTONURBS Command		×	Converts eligible 3D objects into meshes.
CONVTOSOLID Command		×	Converts 3D solids and surfaces into NURBS surfaces.
CONVTOSURFACE Command		×	Converts eligible objects into 3D entities.

COPYLINK			Copies the current view to the Clipboard for linking to other OLE applications.
Draw order by color (CDORDER)			Arranges the drawing order of selected objects by their color number.
Data Extraction (DATAEXTRACTION)			Extracts drawing data.
Digital Signature	\checkmark		Attaches a digital signature to a drawing.
Batch Digital Signing Tool		×	Batch digital signatures for DWFX, DWG, DWT and other files through an independent Batch Digital Signing Tool.
Data Link (DATALINK)			Displays the "Data Link Manager" dialog box.
DWG Convert		×	Converts drawing format version for selected drawing files.
Fast Select (FASTSEL command)		×	Selects the object that touches the specified object.
Gradient Hatch			Supports Gradient Hatch color
Hatch to Back		V	Sets the draw order for all hatches in the drawing to be behind all other objects.
HP\OCE\Cannon built-in	\checkmark	×	Supports the build-in HP\OCE\Cannon driver.
Layer Merge (LAYMRG)			Merges specified layer to target layer and delete previous one.
Layer Translator (LAYTRANS)		×	Changes the current layer to specified layer standard.
Layer Walk (LAYWALK)		V	Displays objects on selected layers and hides objects on other layers.
Merge Layout (LAYOUTMERGE)		\checkmark	Two or more layouts in one drawing can be merged into a specified layout.
Make Shape (MKSHAPE)		\checkmark	Creates a shape definition based on selected objects.

Match Properties Across Drawings		×	Matches properties across drawings.
Password Protection		×	Sets password for specified drawing file to lock it.
Point Cloud Attach		×	Inserts a point cloud scan (RCS) or project file (RCP) into the current drawing.
Quick Properties		×	A set of objects properties displayed through the Properties Palette which allows you to customize.
Reverse		×	Reverses the vertices of selected lines, polylines, splines, and helixes.
Section Plane		×	Creates sections of 3D object by creating section planes.
SELECTIONCYCLING			Controls the display option associated with overlapped objects and cycling selection.
Solprof		×	Creates a 2D profile of 3D solids and display it in a layout viewport.
Solview		×	Creates orthogonal views, layers, and layout viewports automatically for 3D solids.
Soldraw		×	Generates profiles and sections in layout viewports.
Superhatch (SUPERHATCH)			Fills an enclosed area or selected objects with a hatch pattern, solid fill or gradient hatch.
SURFOFFSET Command		×	Creates a parallel surface at a specified distance from the original surface.
Synchronize Viewports (VPSYNC)			Synchronizes one or more layout viewports to a master layout viewport to have the exact locations matched up.
System Variable Monitor (SYSVARMONITOR)	\checkmark	×	Monitors system variables in the list and sends notifications to alert users when system variables and the reported preferred values change.
Text Align / Text Match		×	Aligns multiple text objects vertically, horizontally, or obliquely. Matches both text and Mtext

			attributes text, such as color, font,
			height, alignment, angle, and
			matches the content and layer.
Viewport Scale			Displays the scale of the current
(VPSCALE)			viewport or of a selected layout
(VI SUALL)			viewport.
Visual Styles Manager		×	Creates and modifies visual styles.
Voice Note	×	N	Lets you record audio notes and
	^	v	embed them in drawings.

From the commonly used functions comparison table above, you can see GstarCAD provides richer functions than ARES Commander.

4.2. GstarCAD Innovative Features

GstarCAD has customized a large number of unique functions according to user needs.

The innovative features of GstarCAD:

GstarCAD Innovative Features

Features	Description
Align Tool (ALIGNTOOL)	Allows you to align the selected objects along the X or Y axis coordinates.
ACAD Tool Palettes Import Tool	Import AutoCAD $\ensuremath{\mathbb{C}}$ customized Tool palettes in the WINDOWS Start menu easily.
Area Sum (AREASUM)	Displays the current closed region value and area sum sequence in command line.
Area Table (AREATABLE)	Dimensions and counts the area of an enclosed object and exports the result to a table in the current drawing area.
Arrange Tool (ARRANGETOOL)	Aligns multiple objects left, right, top, bottom, center, vertical or laterally.
Attribute Increment (ATTINC)	Attributes values increment automatically or manually according to specified method.
Auto Layer (AUTOLAYER)	Customizes and predefines the associated layer of a command to streamline drafting workflow.
AUTOXLSTABLE	Allows to insert excel, and static block quantity, area and length and auto update the data according to the changes of the object.
Barcode (BARCODE)	Allows inserting the barcode to objects to corresponding paper documents and electronic drawing file.
Batch Print(BP)	Batch prints the drawing frames by pages.
Batch Purge (BATPURGE)	Batch purges the redundant blocks, layers, linetype, dimensions and text, etc in drawings.
Block Break (BLOCKBREAK)	Allows you to wipeout or break an object that is overlapped by a reference block.
Break Object (BREAKOBJECT)	Breaks the intersected lines and allows you to set the gap value.
CAD table to EXCEL (GC_CTE)	Converts sheets, composed by line/Spline and text/Mtext in CAD, to EXCEL.
Change Base (CHANGEBASE)	Modifies the base point position of the block.
Change Text (CHANGETEXT)	Modifies several texts simultaneously.
CIRCLE(C) Parameter	CIRCLE(C) parameter; Draws multiple concentric circles with one radius.
Collaboration	The GstarCAD Collaboration Tool is an embedded plugin available for GstarCAD platform aimed to help CAD designers work together among

	a single referenced drawing file at the same time, control drawing revisions and manage medium, big or complex projects with ease and reliability, reducing communication barriers across different industries.
Define Layout Viewport from Model Space(M2LVPORT)	Creates a viewport on layout space by selecting objects in the model space.
Dimension Coordinate (DIMCORD)	Marks X, Y coordinate values of the point.
Distance from Endpoint Snap	Allows to sap a certain distance from any endpoint of objects and the distance value can be modified at status bar at any time.
Divide Segments Snap	Allows snap the divided segment points of objects and the divided segment number can be modified at any time.
Export Coordinate (COEXPORT)	Exports the coordinate of the picking point to txt or xls files.
FILLET(I) Invert Parameter	Creates a reverse fillet by this option.
Frame Automatically (FRAMEAR)	Automatically searches for the frame, calculates according to the frame size, and arranges multiple drawings on a large-format drawing reasonably.
Free Scale (FREESCALE)	Scales an object without restrictions under three modes; Non-Uniform, Rectangle and Free.
Freeze Other Layer (LAYFRZOTHER)	Freezes other layers except the layer where the selected object is located.
Graphic Compare (OCMP)	Compares graphic of two groups of objects or two files.
GstarCAD tools (12 functions)	Allows you to quickly draw the industry drawings with GstarCAD tools
Import HPGL/2 (IMPORTHPGL)	Imports a PLT files.
Get Selection by Block Name (GETBLKSEL)	Multi-selects objects with the same name in specified area.
Get Selection by Object Type (GETENTSEL)	Multi-selects objects with the same entity type in specified area.
Get Selection by Layer (GETLAYSEL)	Selects all the objects in specified layer and specified region at one time.
Get Selection by Color (GETCOLSEL)	Quick selects the objects with the same color.
Get Selection by Object/Layer (GETENTLAYSEL)	Selects entities by entity type and layer.
Get Selection by Object/Color (GETENTCOLSEL)	Selects entities by entity type and color.
Get Selection by Layer/Color (GETLAYCOLSEL)	Selects entities by color and layer.
Dimension Coordinate Position	Dimensions the coordinate position.

(HCZZBD)		
Layer Draw Order (LAYDRAWORDER)	Changes the order of the layers by bringing to front or sending to back.	
Lock Other Layers (LAYLCKOTHER)	Locks other layers except the layer where the selected object is located.	
Layer Unlock All (LAYULKALL)	Unlocks all layers.	
Off Other Layers (LAYOFFOTHER)	Turns off other layers except the layer where the selected object is located.	
Magnifier (MAGNIFIER)	Views a specific area of your drawing as a magnifier with the capability of snap points without performing zoom in/out on big drawings.	
OFFSET(B) Both Sides	Offsets to both sides, no need to operate twice.	
Outline (OUTLINE)	Generates the outline by clicking the closed region.	
Pline Boolean (GC_BOOLOP)	Operates the closed pline with union, intersection and subtraction.	
Print PLT(PRINTPLT)	Prints the generated PLT file.	
QR Code(QRCODE)	Extracts data or inputs data to generate QRcode which can be scanned by mobile device to obtain data.	
Rapid Distance (RAPIDDIST)	Measures distance and angle between 2D objects along X, Y axis rapidly by moving mouse.	
RECTANGLE(0) Parameter	RECTANGLE(O) parameter, Draws an rotate rectangle with (O)option	
Region Scale (REGSCALE)	Selects a region of a drawing to be cut and copied to a new location.	
ROTATE(Multiple)Parameter	Copies many objects with different rotate angles, or draw circles array.	
Shortcut Customization (CUSTACC)	Customizes the shortcut key.	
Spline to Pline (Sptpl)	Converts spline to polyline according to the accuracy (number of segments of the arc) that the user assigns.	
Statistics Summation (KLL01)	Sums up the selected text or Mtext.	
Symmetric Draw	Directly draws symmetrical shapes, it can omit the operation of the mirror.	
Text Incremental Copy (GC_dztext)	Accomplishes kinds of incremental methods for text.	
Text Align (TEXTALIGN)	Aligns text along X or Y coordinates, or along a line of specific direction.	
Text Match (TEXTMATCH)	Matches both text and Mtext attributes in the current drawing, avoiding select and edit text attributes one by one.	

Text Online (TEXTONLINE)	Distributes the text uniformly along a selected spline, polyline or arc. It can also create text online quickly for multiple curves.
Total Length (MEASUREGEOM)	Inquire total length of the selected lines.
WIPEOUT (supports circle and	Generates wipeout by clicking circle or a pline object contains
arc)	arcs.

Besides developing plenty of innovative features, GstarCAD has improved the basic operations in order to simplify the operation steps. For example, Adds the angle parameter to line and spline, when drawing an object, you can not only set the value between object and X axis, but also set the angle parameter between the selected line and the previous line; Adds the concentric circle and rotated rectangle; Adds multiple copies in rotate command, realize the copy rotate and circle array; Adds divided by segment and distance from endpoint, layout by path, etc. to accomplish the liner array. Supports invert fillet option in fillet command which is welcomed by designers.


The innovative features enhance your drawing efficiency greatly.

4.3. Function Detail Comparison

GstarCAD 2024 not only has more commands than ARES Commander, it is also better in the details of some interfaces and functions. The following is a comparison of important functions.

Hatch Patterns

GstarCAD provides rich hatch patterns for users to meet more requirements. ARES Commander offers few hatch patterns.



GstarCAD



ARES Commander

• Hatch Pattern Background and line Color


GstarCAD supports to change the hatch background and line color which meets different user's preference.

Type and pattern Type: Pattern: ANSI31 Color: Swatch: Custom pattern: tagger Outlow Angle: O I O ISD pen width: Benerous boundary Active: Hatch origin Specified origin Specified origin Specified origin Specified origin Specified origin Store as default origin Default to boundary extents Store as default origin	latch Gradient		Boundaries
Type: Quetom Pattern: ANSI31 Color: Red Swatch: Image: Custom pattern: tagger Type: Image: Original scale Angle: Angle: Image: ISO pen width: Image: <t< th=""><th></th><th></th><th>Add: Pick points</th></t<>			Add: Pick points
Pattern: NNSI31 Color: Red Swatch: Image: Custom pattern: stagger Angle: Scale: Image: Image: Imag		Custom ~	
Color: Pred Swatch: Precreate boundary Custom pattem: stagger Angle: Scale: 0 1 0 0 0 1 0 1 0 0 0 1 0 1 0 1 0 1 0 0 1 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 10 1 10 1 10 1 10 1 10 1 10 1 10 1 10 1 10 1 10 1 10 1 10 1 10 1 10 1 10 1 10 1 10 1 11 1 11 1 11 1 12 1 13 10 14 10 14 10 15 10 15 10000 15 10000 15 10000 15 10000	Pattern:	ANSI31	Add: Select objects
Swatch: Custom pattern: stagger Angle: Scale: O I Double Redative to paper space Spacing: ISD pen width: Hatch origin O Lise current origin O Efault to boundary extents ISD ore as default origin Origin Cick to set new origin O Efault to boundary extents ISD ore as default origin View Selections Preview OK Cancel Help Angle: Store as default origin Preview OK Cancel Help Angle: Istern in Angle: Angle: Istern in Angle: Store as default origin Store as default origin Store as default origin Store as default origin Istern in Angle: Istern in Intern in Intern Store as default origin			Remove boundaries
Custom pattern: stagger Angle: Scale: 0 1 0 0 <			* Recreate boundary
Angle and scale Angle: Scale: O Double Relative to paper space Spacing: ISO pen width: Hatch origin ISO pen width: Hatch origin Image:	Swatch:		
Angle: Scale: 0 1 0 1 0 0 0 Relative to paper space Spacing: 1 1SD pen width: 0 Were current origin 0 0 Use current origin 0 0 0	Custom pattem:	stagger 🗸	View Selections
Angle: Scale: 0 1 0 0 1 Associative Cheate separate hatches Draw order: B2 1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 <	Angle and scale		Options
0 1 □ Double Relative to paper space Spacing: 1 ISO pen width: □ ISO per width: □ ISO pen width: □ ISO pen width: □ ISO pen width: □ ISO pen width: □ ISO per width	Angle:		
□ Double □ Relative to paper space Spacing: 1 ISO pen width: □ □ Derw order: □ Behind boundary □ □ Use current origin □ □ Default to boundary extents □ □ Crace Help Atch / Fil Ch Fil Bundary settings attern start point Angle and scale Current drawing origin Angle: □ Level of indel location Scale: □ Scale: □.0000 ■ Highlight boundary relates □ Highlight boundary relates □ Highlight boundary relates □ Level of indel location □ Scale: □.0000 ■ Use boundary: □.50 pen width: □ Use boundary: □.50 pen width:	0 ~	1 ~	
ISO pen width: Hatch origin Iso Specified origin Iso Specified origin Iso Default to boundary extents BL BL Iso Default to boundary extents BL Store as default origin OK Cancel Help attern Preview OK Cancel Help attern Preview OK Cancel Help attern Preview OK Cancel Help attern Preview Add intersecting lines Add intersecting lines Angle and scale Current drawing origin Angle: Outer-defined location Scale: 10000 Specify coordinates Specing: 10000 Use boundary: Curter ISO pen width: Scale based on sheet's units	Double	Relative to paper space	
ISO pen width: Hatch origin ● Use current origin ● Use current origin ● Default to boundary extents ■ BL ● Click to set new origin ● Default to boundary extents ■ BL ● Click to set new origin ● Default to boundary extents ■ BL ● Click to set new origin ● Default to boundary extents ■ BL ● Click to set new origin ● Default to boundary extents ■ BL ● Click to set new origin ● Default to boundary extents ■ BL ● Click to set new origin ● Default to boundary extents ■ BL ● Click to set new origin ● Default to boundary extents ■ Click to set new origin ● Default to boundary extents ■ Click to set new origin ● Click to set new origin ● Click to set new origin ● Default to boundary extents ■ Rebuild boundary entities ■ Highlight boundary entities ■ Highlight boundary relation ● User defined location ■ Scale I 10000 ● Use boundary: ■ Center I ISO pen width: ■ Click to as default ■ Create hatch for each boundary Use properties of selected hatch	Spacing	1	
Hatch origin ● Use current origin ● Specified origin ● Cick to set new origin ● Default to boundary extents ● BL ● Store as default origin Preview OK Cancel Help Add intersecting lines attern Preview Angle: ● DRQUET • Layer: user-defined location • Specify coordinates ● Specify coordinates		~	Behind boundary
● Use current origin ● Specified origin ● Click to set new origin ● Default to boundary extents ■ BL ● Store as default origin Preview OK Cancel Help stch / Fill Custom Preview OK Cancel Help stch / Fill BL Custom Preview OK Cancel Help stch / Fill Build boundary settings Custom • Current drawing origin Angle and scale Current drawing origin Angle: • Specify coordinates • Specing: • Use boundary: • Set as default • Scale: • L0000 • State as default • Scale based on sheet's unts	too portman.		Layer:
Specified origin	Hatch origin		use current
O Specified origin Image: Custom Preview OK Cancel Help Add intersecting lines attern start point Angle and scale Current drawing origin Angle: Out User-defined location Scale: 1.0000 Specify coordinates Specify	Use current origin	n	Transparency:
Default to boundary extents BL Store as default origin Preview OK Cancel Help atch / Fill ch Fill ch Fill Custom itern PARQUET itern start point Angle and scale Current drawing origin Angle: Outer of fill Wode Anotative scaling Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates Specify coordinates <	💹 Click to s	et new origin	use current
BL Store as default origin Preview OK Cancel Help atch / Fill ch Fill atcrn pe: Custom tern: PARQUET atch resecting lines atcrn drawing origin Angle and scale Current drawing origin Angle: Outer-defined location Scale: 10000 Use boundary: Center ISO pen width: Store as default Scale based on sheet's units Note Cureat hatch for each boundary relation			0
Store as default origin Preview OK Cancel Help atch / Fill ch Fill attern pe: Custom tern: PARQUET atd intersecting lines attern start point Angle and scale Current drawing origin Angle: 0 Specify coordinates Specing: 10000 Use boundary: Center ISO pen width: State based on sheet's unts Wode Annotative scaling Keep hatch and boundary related Create hatch for each boundary		oundary extents	
Preview OK Cancel Help atch / Fill Boundary settings attern Image:			Inherit Properties
atch / Fill attern pe: Custom tem: PARQUET attern start point Angle and scale Current drawing origin Angle: 0 User-defined location Scale: 1.0000 Specify coordinates Specing: 1.0000 Use boundary: Center 1SO pen width: Scale based on sheet's units	Store as der		
Add intersecting lines Angle and scale Current drawing origin Angle: 0 User-defined location Specify coordinates Specify	Store as der		
Add intersecting lines Angle and scale Current drawing origin Angle: 0 User-defined location Specify coordinates Specify		-	Cancel Help
attern pe: Custom tern: PARQUET Add intersecting lines attern start point Angle and scale Current drawing origin Angle: 0 User-defined location Scale: 1.0000 Specify coordinates Spacing: 1.0000 Use boundary: Center ISO pen width: Create hatch for each boundary Use boundary: Center ISO pen width: Use properties of selected hatch		-	Cancel Help
Autern Custom Image: Custom <td< td=""><td>Preview</td><td>-</td><td>Cancel Help</td></td<>	Preview	-	Cancel Help
Participation Angle and scale Add intersecting lines Angle and scale Add intersecting lines Highlight boundary entities Attern start point Angle and scale Current drawing origin Angle: 0 User-defined location Scale: 1.0000 Specify coordinates Spacing: 1.0000 Use boundary: Center ISO pen width: Create hatch for each boundary Use properties of selected hatch Se properties of selected hatch Se properties of selected hatch	Preview	-	
tern: PARQUET	Preview atch / Fill ch Fill	-	Boundary settings
Add intersecting lines Angle and scale Delete boundary entities Augle and scale Highlight boundary entities Current drawing origin Angle: 0 Mode User-defined location Scale: 1.0000 Annotative scaling Specify coordinates Spacing: 1.0000 Create hatch for each boundary relate Use boundary: Center ISO pen width: Vertice Sealed based on sheet's units	Preview atch / Fill ch Fill attern	OK	Boundary settings
Current drawing origin Angle: 0 ✓ User-defined location Scale: 1.0000 ✓ Specify coordinates 3% Spacing: 1.0000 ✓ Use boundary: Center ISO pen width: ✓ Create hatch for each boundary Use boundary: Set as default Scale based on sheet's units Use properties of selected hatch	Preview atch / Fill ch Fill attern pe: Custom	OK	Boundary settings
User-defined location Scale: 1.0000 Annotative scaling Specify coordinates Spacing: 1.0000 Keep hatch and boundary related to the scale based on sheet's units Use boundary: Center ISO pen width: Center Use properties of selected hatch	Preview atch / Fill ch Fill ch Fill ch Fill ct	OK	Boundary settings Image: Specify entities Image: Specify points Image: Specify points Image: Rebuild boundary
Specify coordinates Spacing: 1.0000 Annotative scaling Use boundary: Center ISO pen width: Create hatch for each boundary related Use boundary: Set as default Scale based on sheet's units Use properties of selected hatch	Preview atch / Fill attern custom tern: PARQUET Add intersecting lines	ок	Boundary settings Image: Specify points Image: Rebuild boundary Image: Delete boundary entities
Use boundary: Center ISO pen width: Create hatch for each boundar Set as default Scale based on sheet's units Use properties of selected hatch	Preview atch / Fill attern attern attern PRQUET Add intersecting lines attern start point	OK	Boundary settings Image: Specify entities Image: Specify points Image: Specinty points
Set as default Scale based on sheet's units Use properties of selected hatch	Preview atch / Fill attern attern PARQUET Add intersecting lines attern start point Current drawing origin User-defined location	OK	Boundary settings
Set as default Scale based off sheet's drifts	Preview atch / Fill attern attern Custom tern: PARQUET Add intersecting lines attern start point Current drawing origin User-defined location Specify coordinates	OK	Boundary settings
	Preview atch / Fill attern tern: PARQUET Add intersecting lines atters start point Current drawing origin User-defined location Specify coordinates Use boundary: Cent	OK	Boundary settings

ARES Command 2024 doesn't support changing the background and line color for hatch.

• Color Books

When assigning colors to objects, you can choose colors from color books in GstarCAD.



ARES Commander only supports the basic colors.


-	d Colors	Cusc	om Color				
D: 407		• •	0		D.	0	
R: 127 H: 0	-		0	÷	B: L:	0 25	•
[0		• 0.	100			25	
New col	or: 127,0) <mark>,</mark> 0			Col	or previ	ew:

Quick Access Toolbar


In GstarCAD, the commands displayed in the quick access toolbar can be customized directly in the drop-down menu and more commands can be added, and can be set to display below the ribbon.

What's more, you can add to or delete the command from the quick access toolbar by right clicking the command icon.

	1	Ъ	₽₽	← • ≁	👻 2D Dra	afting		₽	
$\mathbf{\overline{\mathbf{v}}}$	<u>F</u> ile	<u>E</u> dit	<u>V</u> iew	<u>I</u> nsert	F <u>o</u> rmat	<u>T</u> ools	<u>D</u> raw 1	Cus	tomize Quick Access Toolbar
Customize Customize						×	Mesh		New
Choose command	s from:					_			Open
File File		~		New Open Save			A - 1		Save
Home Insert Annotation 3D				Save As		E.	_/_ ~		Save As
Surface Mesh Lavout			Add >>	← Undo → Redo			odify ∽		Plot
View Manage Export Cloud			Remove	Workspaces			Juliy -		Undo
Application Help QAT									Redo
Express Collaboration Plot Preview								~	Workspaces
Open		~		Reset					Mara Commanda
Show Quick A	ccess Toolbarb	elow the Ribb	on						More Commands
									Show Below the Ribbon
					ОК	Cancel			Minimize the Ribbon



ARES Commander does not support as many commands as GstarCAD in customized quick access toolbar, only the default commands are able to choose. ARES Commander does not support display the quick access toolbar below the ribbon.



• The Grid

The grid helps align objects and visualize the distances between them. GstarCAD provides two grid modes to bring better user experience.

		ㅂ 부 ㅎ		• 🥕 •	2D Dra	afting											G	starCAD
	Home	Insert	A	nnotatio	n	ЗD	Su	rface	Me	sh Li	ayout	View	Mar	age	Ехро	rt C	loud	Appli
Line		Circle v	Arc v	∷ • ⊙ • ₩ •		∎ ℃	4	· · [Layer Properti	· · · ·	••				A Text	→ → → → → → → →	
	wing1.dwg							,										
6	Home	Li D∳ ਵ Insert		v /→ v nnotatio		3D	Su	irface	≂ Me	sh Li	ayout	View		age	Expo	rt Cl	loud	starCAD Appli
G / Line	Home Polyline	Insert			n I	3D	Su 🖬 🚦	ırface	Me	sh L Layer Properti	\$	\$* * * *	\$; \$ \$ \$		\$	rt Cl A Text		
Line	Polyline	\bigcirc	A	nnotatio	n I	3D	Su 🖬 🚦	~ ~	Me	Laver	\$	\$* * * *	\$, \$ \$ \$		\$	A Text	loud	Appli
	Polyline	Circle v	A	nnotatio	n I	3D	Su ••••••••••••••••••••••••••••••••••••	~ ~	Me	Laver	\$		\$, \$ \$ \$		\$	A Text	loud 	Appli


ARES Commander only supports the traditional spot grid.

(Ć	D	raft	ing a	nd Ar	nnotat	tion		•	[]	đ	ç	F	5 E) 4	à 6	• •) -	Ċ -	Ż	Ŧ			AF	RES	Cor	nma	ander
			Hor	ne	Inse	ert	Anno	otate		Shee	t	Cor	istra	ints	М	anage	2	View	Co	llabo	ate	X	traTo	ools	BI	М	Plu	ugins
)		6	S	۰	_	G	ষ	م		.		, a	, [_]		-	Ż		Æ	A!	A	s Sta	nda	rd			•	S
	ø			γ	L	6			Ø		0		ţ	ŧ.	•11• 11A					_ .	A	_o ISC)-25				•	1
	Line		Pol	yLine •	Rect	tangle •	Circ •	:le			\bigtriangledown		+	، آ			ং		Text •	°11	Å	.+ :	<u>1</u> 1	ЯĘ				Laye Mana
_						Dra	w								Mo	dify					A	nnot	atio	ns				
			NC	DNAN	1E_0.	.dwg*			\times	+																		
	÷			: :		 	· ·			 	•	 	· ·	•	· ·	· ·	 	 	 	 		· ·	:	· ·	· ·	:		
				· · ·	· · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		· ·	· · ·		· ·	· · ·	•	· ·	· · ·	 	· · · · · · · · · · · · · · · · · · ·	 	 	· ·	· · ·		 	· · ·		· ·	
				 	· · ·	· · · · · ·	· · · · · · · ·		· · ·	· · · · · · · ·		· · ·	· · ·		· · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · ·	 		· · · · · · · · · · · · · · · · · · ·	 		 	· · · ·
				· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		· · ·	· · · · · · · · · · · · · · · · · · ·		 	· · ·		 	· · · · · · · · ·	 	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	 	 	 	· · · · · · · · · · · · · · · · · · ·	 	 		· · ·	
				· · · · · · · · · · · · · · · · · · ·	· · ·	· · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · ·	 	· · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		 	 	 	· · · · · · · · · · · · · ·	· · · · · · · · · · · · · ·	· · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	 	 	· · · ·	· · ·	

• Tool Palettes

GstarCAD supports tool palettes that are tabbed areas within the Tool Palettes window. You can create a tool by dragging an object onto the tool palette. Blocks and external references (xrefs) can be dragged onto the tool palette.


You can also hatch objects with hatch patterns from tool palettes by clicking and moving the mouse on the object. You can easily modify the properties of the hatch patterns as well.






GstarCAD

However, ARES Commander supports less tools in Toolpalettes.



• Array Panel

GstarCAD array options provide dynamic adjustments to the number of ranks, spacing and other related parameters through Ribbon Panel, Properties and Grip.




ARES Commander does not support Array Ribbon Panel which means that it doesn't support dynamic editing of array parameters. You have to double click the arrayed objects to edit.

🔶 Drafting and Annotation 🔹 🗅 🛱 🗣			iander 2024 - [NONAME_0.dwg*] iborate XtraTools Window Help	
Home Insert Annotate Sheet Constrain		ollaborate XtraTools BIM Plugins		
	* • 📰 • 🖉 •	Al ·	چ ، ۶۰۰ ۴۰۰ ۶۰ •	🗞 💿 ByLayer
م م م م م م م م م م م م م م م م م م م	# • "‰ ● •	Text .	lavers	ByLayer
· · · · · Ø · 🛛		·* ♥ ₽ ₽3 •	Manager Unsaved Layer State •	ByLa
Draw	Modify	Annotations	Layers	
NONAME_0.dwg* \times +				

 $\begin{array}{c}
\bullet & \bullet & \bullet \\
\bullet & \bullet & \bullet$

MEASUREGEOM (Sum Area and Total Length)

GstarCAD not only supports the measure area and measure distance, but also supports measure radius, measure angle, measure volume, sum area and total length.



ARES Commander does not support volume, Sum area and Total Length, etc.

	ARES Comman	der 202	4 - [N	IONAME_	0.dwg*	1]				
Тоо	ls Solids BIM Collabo	rate Xtr	aTools	Window	Help					
∷ A	Properties	Ctrl+1								
لي في	Design Resources	Ctrl+2	8	. 😪 .	₿.	ଞ୍ଚ	≲.		&	• By
•	References Manager Tool Palettes	Ctrl+3	-		-		Ĭ~		===	ByLay
	3DFindIT	Garro	Jnsav	ed Layer Sta	te		8			
P	Trinity Block Library	Ctrl+6		Layer						
ß	Sheet Set Manager	Ctrl+4								
	Display Order	•								
	Inquiry	•	D (Get Distance	2		1			
Ê	Open Reference		<u>ا</u>	Get Area						
≙^	Attribute Export		j,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Get Coordin	ate					
	Run Script		Ê (Get Properti	es					
	LISP Editor		4	Get Mass Pro	operties					
į₽	CCS Manager			Measure Ge	ometry	Þ	Ŀ.,	Angle		
_	New CCS	•					 /	Area		
	Digital Signature	•						Distan		
_							E.	Radius	5	

Hatch, Trim, Extend Preview

GstarCAD supports preview effects when trimming, extending and hatching, which can help users judge the correctness of the operation.

G Drafting and A Ľ, Þ **厚** ₿ @ Mai \odot ïП н ٢ Ø PolyLine Rectangle Circle Draw Modify Drav Drawing1.dwg × TALLER IMPRIMIR.dwg NONAME_0.dwg* Specify segments to remove Select object to trim or shift-select Project Edge eRas

ARES Commander does not support preview effects when trimming, extending, and hatching.


GstarCAD

ARES Commander

Line

GstarCAD can set the reference angle or included angle with the reference object or the previous section when

setting the angle.



GstarCAD

ARES Commander does not support the options such as angle, length to assist you to draw the line.



ARES Commander

• Circle

GstarCAD supports convert arcs to circles, multiple circles, and multiple concentric circles at one time.

However, ARES Commander only supports the basic options.



GstarCAD

Command Window	
: CIRCLE	
Options: <u>3Point</u> , <u>2Point</u> , <u>Ttr</u> , <u>TTT</u> or Specify center point »	
ARES Commander 2022 x64	Snap Grid Ortho Polar ESnap I

ARES Commander

• Fillet

GstarCAD can create the normal fillet and reverse fillet.

/ 🦳 🖿 🗁 🖶 👆 🚔 🐟 🔹 🖈 🔹 2D Drafting 💦 🐳 😓	
<u> </u>	dify
Home Insert Annotation 3D Surface Mesh Layout View	М
Line Polyline Circle Arc Layer V V V V V V V V V V V V V V V V V V V	
Draw 🗸 Modify 🗸	La
✓ Drawing1.dwg TALLER IMPRIMIR.dwg Drawing2 Drawing8 ×	
Command Line	
Command: FILLET Current settings: Mode = Trim, Radius = 300.0000 Arc = Normal Select first object or [Undo/Polyline/Radius/Trim/Invert/Multiple]: Enter Arc mode option [Invert/Normal] <normal>: i Command:</normal>	i

ARES Commander only supports the normal fillet.

Ć	Drafting a	nd Annota	ition	• [1 🖻	ç	Þ	B	G	0	Ð	• ¢ •	⁄⊉ ∓	
	Home	Insert	Annotate	e S	heet	Con	strain	is	Man	age	Vie	ew C	ollabora	te XtraT
<i>_</i> ^	Ş	'n	J		• ेः						⊘≥ -	A=	_	A ⊘ Standa
Line	PolyLine	Rectangle	e Circle	0	• @		_ ∦ F}				"∎" ▼ ⊿~>	Tex	_ t	A _☉ ISO-25
-					• 🛡						<u>~</u> ~		10	\$† E
		Dr	aw						Modi	fy				Annotatio
	NONAM	1E_0.dwg	*	\times	+									
	and Wind	low												
Optio	= TRIM, ns: <u>M</u> ultip	Radius : ole, <u>Polyl</u> entity» «						do c	or					

• Сору

GstarCAD provides three array modes for copy command: measure, divide and path which can be copied along

a straight line or curve.

0
oint a

GstarCAD

ARES Commander does not support the copy array modes.

```
Command Window
: COPY
Active settings: Copy on active layer = Off
Specify entities»
1 found
Specify entities»
Default: active Layer
Options: Displacement, active Layer or
Specify from point» «Cancel»
: FXIT
:
```

ARES Commander

• Mtext

GstarCAD provides rich options in Mtext, such as columns, match text formatting, superscript /subscript, and supports the distribute paragraph alignment as well.

ext Formatting
andard 🗸 Arial 🗸 🙏 2.5 🗸 В І 👐 🖳 🕢 🗛 🗘 🖓 🗛 🖓 🖓 👘 С С 🔓 🖉 ByLayer 🗸 📩 ок 🖓
【▼ 国▼ 雪 圭 圭 壹 壹 靈 靈 二 二 = 三 ▼ 翌 aĂ Ăa X ² X ₂ 懋 缁 ▼ @ ▼ 0/ 0.0000 ♀ a+b 1.0000 ♀ O 1.0000 ♀
G Paragraph X
Tab Left Indent
0 Add Hanging: 0
Remove Right Indent
Right: 0
Specify Decimal Style:
'.'period 🗠
Paragraph Alignment
Left Center Right Justified Distributed
Paragraph Spacing
Before: After: Line Spacing: At:
0 0 Multiple V 1.0000x
OK Cancel Help

ARES Commander not only lacks these important functions, but also hides some of the frequently used options, such as the paragraph alignment, you have to click the drop-down list to choose, which reduces the operation speed.

Note Form	atting									×	<
${f k}_{\!\otimes}$ Standard	▼ T Arial		 ▼ A[™] (0.2000) 	• B	ΙU	ट <u> </u>	🕼 💿 Byl	ayer 🔻 🗹 Ruler	£		
5 0	<u>n</u> + (1	A a	‡≣ · ≣ ·	:= • I	- & -	A/ 0.000	00 🗘 🖓	1.0000 🗘 🛱	1.0000	• •	2
	🍟 Paragraph O	ptions							×		
	Alignment	Indenta	ation		Tabs						
	None	Left:		0.0000	• Left	Center	🔵 Right	Decimal			
	Left	Right:		0.0000	Tab stop:		0.0000				
	Center	First line:		0.0000				+ Add			
	Right							× Delete			
	 Justify 							🖳 Delete All			
	Spacing										
	Before:	0.0000	Line spacing	1.0 🔻	Decimal tal	b style:					
	After:	0.3000	At:	1.0000							
					√ 0ł	< ×	Cancel	? Help			
				28	3						

• Snap Options

GstarCAD supports Distance from Endpoint and Divide Segments snap options and provides you more concise interface.

G Drafting Settings ×								
Snap and GRid Polar Tracking	Object Snap Dynamic Input Quick Properties							
☑ Object Snap On (F3) Object Snap modes	Object Snap Tracking On (F11)							
Endpoint	// Parallel Select All							
🛆 🗌 Midpoint	Lear All							
○ ☑ Center								
+ Geometric Center								
🔯 🗌 Node	∑ □ Nearest							
	Apparent intersection							
\times \checkmark Intersection								
Extension	-x- Divide Segments 3							
To track from an Osnap point, pause over the point while in a command. A tracking vector appears when you move the cursor. To stop tracking, pause over the point again.								
Options OK Cancel Help								


ARES Commander only provides conventional snap methods with the tree structure.

Options - User P	Preferences		×
File Locations File Locations System Options User Preferences User Preferences Drawing Settings Drafting Styles Add-Ins Profiles Profiles BIM Settings	 Drafting Options Pointer Control EntitySnaps Enable EntitySnaps (ESnaps) Geometry ESnaps Nearest Nearest End Midpoint O Center O Center O Quadrant n* Node Insert EntitySnaps Options Snap Settings Display Entity Selection Dimension Palette 	Reference ESnaps Trife Extension Trife Extension Trife Extension Parallel Perpendicular Trife Perpendicular Trife Visual Intersection	Apply ? Help

• Context Menu for Object Snapping

The snapping options are listed in the right-click menu of the object snap button in GstarCAD. You can adjust the snapping options without opening the draft settings dialog box.

However, you have to open the Draft Settings dialog box to set the fixed object snapping options in ARES Commander.




GstarCAD



• Context Menu for Polar Tracking


GstarCAD provides commonly used polar axis incremental angles in the right-click menu, and users can directly select them in the menu without opening the draft setting dialog box.

However, you have to open the Draft Settings dialog box to choose options or set the incremental angles in ARES Commander.



Hatch Edit Options in Context Menu

GstarCAD supports more options such as set origin, set boundary and generate boundary when right clicking on the hatch objects.



ARES Commander does not support set origin, set boundary and generate boundary and so on.




Deselect All

Smart Select...

• Dimension Polygon Center

GstarCAD supports the option Polygon(P) in DIMCENTER command to mark the center of polygons. While ARES Commander only supports dimension center of arc and circle, it does not support dimension polygon.



Stretch Dimension Group


GstarCAD supports the "Stretch Dimension Group" option which allows adjusting dimensions that share same grips with each other as a whole.

In ARES Commander, you have to stretch such dimensions one by one, which wastes your design time.


Eile Edit Yiew Insert Format Icols Draw Tools Tools Draw Tools Tools	Home Insert Annotate Sheet Co	> 啓 巴 읍 ⊕ • nstraints Manage ポ • 1116 ■ 業 • 1116 ■ 千 • ++ • 《
DRAWING SAMPLE MECH1.dwg ×	Draw	Modify
Stretch Stretch Dimesion Group Continue Dimension Baseline Dimension Flip Arrow	NONAME_0.dwg* × 13,18 20,71 20,3 Stretch Continue Dimension Baseline Dimension Flip Arrow	Drawing3.dwg*

• Large Raster Image Processing

GstarCAD is excellent in dealing with large raster image. While Ares Commander even couldn't open it.




GstarCAD



• Transparency of the palettes

GstarCAD supports adjusting the transparency of the palettes which ARES Commander does not support.



GstarCAD



ARES Commander

5. User Experience

5.1. Interface

bar.

GstarCAD offers you a concise and familiar interface. It provides 6 color themes in total, and the combination of attractive color themes and icon designs creates a most comfortable work environment for you. Interface switching in GstarCAD is simple and you can see the effect without closing the software. It's also available to display and rearrange elements like the toolbars, display the command bar, switch between workspaces, change the interface themes, customize your own interface and enable the status bar and menu

 File
 Edit
 User visite
 File
 Edit
 Standard
 Approximation
 <td

ARES Commander does not support as many interface color themes as GstarCAD, it offers the light and black interface theme and you have to close the software and reopen it to make the effect available. ARES Commander does not support appearance tab to manage the display of the menu bar, command line, file tabs and so on.



5.2. Operation Habit

GstarCAD continues its concise interface and ensures that the operation habits most users prefer remain unchanged. You will feel familiar with GstarCAD for its high compatibility and you will be soon creating and handling drawings in the exactly original ways.

Lines		Arrows Tex	t Adjust Prima	y Units Alternate Units Toleran	ce
Dimer	nsion Lines				
Color:		ByBlock		-	
Linetype:			ByBlock		~
		B	yBlock	16,6	1999
Lineweight:					. A E
Exten	d beyond ticks	:	0		8
Baseli	ne spacing:		3.75		
Suppr		Dim line 1	Dim line 2		
Juppi	caa.	Dimine	Dim line 2	J .	
Exten	sion lines				
Exten		ByBlock		Extend beyond dim lines:	1.25
Color:		ByBlock		Exterio beyond dim intes.	
Color: Linety	pe ext line 1:	ByBlock	ByBlock	Offset from origin:	1.25 ×
Color: Linety Linety	pe ext line 1: pe ext line 2:		ByBlock ByBlock	Offset from origin:	0.625
Color: Linety	pe ext line 1: pe ext line 2:			Offset from origin:	0.625 •
Color: Linety Linety	pe ext line 1: pe ext line 2: eight:		ByBlock ByBlock	Offset from origin:	0.625 ×
Color: Linety Linety Linew	pe ext line 1: pe ext line 2: eight:	B	ByBlock ByBlock yBlock	Offset from origin:	0.625 •
Color: Linety Linety Linew	pe ext line 1: pe ext line 2: eight:	B	ByBlock ByBlock yBlock	Offset from origin:	0.625 •
Color: Linety Linety Linew	pe ext line 1: pe ext line 2: eight:	B	ByBlock ByBlock yBlock	Offset from origin:	0.625 •

While ARES Commander still uses the traditional tree structure which has complex hierarchical relationships and is quite different from other competitors. And you need plenty of time to adapt to the complex hierarchy, show and hide the sub dictionary to find the options.

Options - Draftin	g Styles					×
Ē		⊀o Standard All styles	•	+ New		Preview:
File Locations				😤 Set Overrides		
				Han Set Overnues		53.
System Options	– Angular	Dimension				R0.9000 + (+) 4.5000
		ular dimension setti	ngs			
User Preferences			I Degrees 🔻			
		Precision: 0	T Degrees ▼			Description
Drawing Settings		Zeroes display:	¥			Standard
		 Hide leading ze Hide trailing ze 				
Drafting Styles	+ Arc	length symbols	lues			
*	- Arrows					
Add-Ins	Sta	art arrow: 🔶 Clo	osed filled	-		
2	En	d arrow: 🔶 Clo	osed filled	T	Ŧ	
Profiles	Find:					
				✓ ОК		X Cancel 🔮 Apply ? Help

5.3. Panel Arrangement

GstarCAD arranges the panels and icons reasonable; you can easily find the features you need.



ARES Commander couldn't arrange the icons well and some of the features are hided, you have to click the arrow buttons to find the features.



6. Conclusion

Through the above comparison, we can make the following conclusions: GstarCAD 2024 is far advantageous in terms of compatibility, functionality, user experience and so on. Compared with ARES Commander, GstarCAD is a better choice.



+



https://www.gstarcad.net/



+